

SAFETY DATA SHEET

1. Identification

1. Identification		
Product identifier	Liquid Wrench Penetrating Oil	
Other means of identification		
SDS number	L112	
Part No.	L106, L112, L112/4, L112/6, L103	
Tariff code	3403.19.5000	
Recommended use	Penetrating Oil	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name Address	Blumenthal Brands Integrated, LLC 600 Radiator Road Indian Trail, NC 28079	
Telephone	Customer Service/ (704) 821-7643 Technical	
Website	www.solvewithB.com	
E-mail	sds@solvewithB.com	
Emergency phone number	INFOTRAC (United States) (800) 535-5053 INFOTRAC (International) (352) 323-3500	
2. Hazard(s) identification		
Physical hazards	Flammable aerosols	Category 2
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Specific target organ toxicity, single exposure	e Category 3 narcotic effects
	Aspiration hazard	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement	Flammable aerosol. Harmful if swallowed. Co	ontains gas under pressure; may explode if heated.
	Listen for the second	a dia matang alimanana Orang a alain ingita (

Flammable aerosol. Harmful if swallowed. Contains gas under pressure; may explode if heated. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.

Precautionary statement Prevention

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear eye protection/face protection.

Response	IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse mouth. Do NOT induce vomiting. If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/physician if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	95.05% of the mixture consists of component(s) of unknown acute inhalation toxicity. 97.85% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 97.85% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.
	NOTE: This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission regulations which take precedence over OSHA Hazard Communication labeling. The container label may not include the OSHA label elements listed in this document. Always carefully review the entire SDS and the product label prior to use in the workplace.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Hydrotreated Light Naphthenic Distillates Petroleum		64742-53-6	80 - < 90
Tripropylene Glycol Monomethyl Ether		25498-49-1	5 - < 10
Carbon Dioxide		124-38-9	1 - < 3
Trimethylolpropane Trioleate		57675-44-2	1 - < 3
Polytetrafluoroethylene (PTFE)		9002-84-0	< 0.2
Boron Nitride		10043-11-5	< 0.1
Other components below reportable levels			1 - < 3

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Aspiration may cause pulmonary edema and pneumonitis. May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical	Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.
General fire hazards	Flammable aerosol. Contents under pressure. Pressurized container may explode when exposed to heat or flame.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent entry into waterways, sewer, basements or confined areas. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
Conditions for safe storage,	Level 3 Aerosol.
including any incompatibilities	Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) Components Form Туре Value PEL Carbon Dioxide (CAS 9000 mg/m3 124-38-9) 5000 ppm Hydrotreated Light PEL 5 mg/m3 Mist. Naphthenic Distillates Petroleum (CAS 64742-53-6) 2000 mg/m3 500 ppm

Components	Туре	Value	Form
Carbon Dioxide (CAS 124-38-9)	STEL	30000 ppm	
·	TWA	5000 ppm	
Hydrotreated Light Naphthenic Distillates Petroleum (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Carbon Dioxide (CAS 124-38-9)	STEL	54000 mg/m3	
		30000 ppm	
	TWA	9000 mg/m3	
		5000 ppm	
Hydrotreated Light Naphthenic Distillates Petroleum (CAS 64742-53-6)	Ceiling	1800 mg/m3	
·	STEL	10 mg/m3	Mist.
logical limit values	No biological exposure limits noted for	or the ingredient(s).	
propriate engineering trols	Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ eyewash station and safety shower.	pplicable, use process enclosu tain airborne levels below recor	res, local exhaust ventilatior mmended exposure limits. If
vidual protection measure	s, such as personal protective equipm	ent	
Eye/face protection	Face shield is recommended. Wear s	safety glasses with side shields	(or goggles).
Skin protection			
Hand protection	Wear appropriate chemical resistant	gloves.	
Other	Wear appropriate chemical resistant	clothing.	
Respiratory protection	If permissible levels are exceeded us air-supplied respirator. Chemical res threshold limits are exceeded. Dust &	pirator with organic vapor cartric	
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	
neral hygiene siderations	When using do not smoke. Keep awa hygiene measures, such as washing smoking. Routinely wash work cloth	after handling the material and	before eating, drinking, and
Physical and chemica	l properties		
pearance	Liquid Opaque		
Physical state	Liquid.		
Physical state Form	Liquid. Aerosol.		

446 °F (230 °C) estimated

200.0 °F (93.3 °C) Tag Closed Cup

Fragrance

Not available.

Not available.

Not available.

Not available.

Not applicable.

Odor

рΗ

range

Flash point

Evaporation rate

Flammability (solid, gas)

Odor threshold

Melting point/freezing point

Initial boiling point and boiling

Upper/lower flammability or explosive limits

Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.0923 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	7.26 lbs/gal
Explosive properties	Not explosive.
Flame extension	> 18 in
Flammability (flash back)	No
Flammability class	Combustible IIIB estimated
Heat of combustion (NFPA 30B)	36.35 kJ/g
Oxidizing properties	Not oxidizing.
Percent volatile	0.29 % estimated
Specific gravity	0.87
VOC	0 %

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Ingestion	Harmful if swallowed. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.
Symptoms related to the physical, chemical and toxicological characteristics	Aspiration may cause pulmonary edema and pneumonitis. May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Hydrotreated Light Naphthenic Distillates Petroleum (CAS 64742-53-6) Actate Dermal LD50 Rabbit > 2000 mg/kg, 24 Hours Inhalation LC50 Rat > 3.9 mg/t, 4 Hours Oral LD50 Rat > 2000 mg/kg Trimethyloloropane Trioleate (CAS 57675-54-2) Actate Dermal LD50 Rat > 2000 mg/kg Trimethyloloropane Trioleate (CAS 57675-54-2) Actate Dermal LD50 Rat > 2000 mg/kg Trimethyloloropane Trioleate (CAS 57675-54-2) Actate Dermal LD50 Rat > 2000 mg/kg Triprophylene Glycol Monomethyl Ether (CAS 25498-49-1) Actate Dermal LD50 Rat > 2000 mg/kg Triprophylene Glycol Monomethyl Ether (CAS 25498-49-1) Actate Dermal LD50 Rat 3400 mg/kg Skin corrosion/irritation Respiratory or skin sensitization Respiratory or skin sensitization Respiratory or skin sensitization This product is not expected to cause skin sensitization. Germ cell mutagenicity Not a respiratory sensitization IARC Monographs. Overall Evaluation 4200 Mg/kg Not available to inclasa product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not a respiratory sensitization IARC Monographs. Overall Evaluation 4200 Mg/kg Not respiratory Not acuse (26 CFR 1910.1001-1052) Not respirated. Specific target organ toxicity - May cause drowsiness and dizzines. Specific target organ toxicity - May cause drowsiness and dizzines. Specific target organ toxicity - May cause drowsiness and dizzines. Specific target organ toxicity - May cause drowsiness and dizzines. Specific target organ toxicity - May cause drowsiness and dizzines. Specific target organ toxicity - May cause drowsiness and dizzines. Specific target organ toxicity - May cause drowsiness and dizzines. Specific target organ toxicity - May cause drowsiness and dizzines. Specific target organ toxicity - May cause drowsiness and dizzines. Specific target organ toxicity - May cause drowsiness and dizzines. Specific target organ toxicity - May cause drowsiness and dizzines. Specific target organ toxicity - May cause drowsiness and dizzines. Specific target organ toxicity - May cause drowsiness and dizz	Acute toxicity May be fatal if swallowed and enters airways.		
Actual Dermal LDS0 Rabbit > 2000 mg/kg. 24 Hours Inhalation Inhalation Inhalation > 3 9 mg/t, 4 Hours Crail LDS0 Rat > 3 9 mg/t, 4 Hours Oral LDS0 Rat > 2000 mg/kg. Dermal LDS0 Rat > 2000 mg/kg. 24 Hours Oral LDS0 Rat 3400 mg/kg. 24 Hours Oral LDS0 Rat 3400 mg/kg. 24 Hours Oral LDS0 Rat 3400 mg/kg. Skin corrosion/irritation Causes serious we irritation. Scrious eved amgeleye Grone all mutagenicity Not a respiratory sensitization. Respiratory or skin sensitization Not a respiratory sensitization Ger call mutagenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Cacinogenicity to humans. If Actabiliable Augenici and expected to cause skin sensitization. Ger call mutagenicity Not classif	Components	Species	Test Results
Dermal > 2000 mg/kg, 24 Hours LD50 Rabbit > 3.0 mg/l, 4 Hours LD50 Rat > 3.0 mg/l, 4 Hours Oral > 2000 mg/kg Autis > 2000 mg/kg, 24 Hours Dermal > 2000 mg/kg, 24 Hours Dormal > 2000 mg/kg, 24 Hours Oral > 2000 mg/kg, 24 Hours Dornal > 2000 mg/kg Dorso Rat Dor	Hydrotreated Light Naphthenic Di	stillates Petroleum (CAS 64742-53-6)	
LD50Rabbit> 2000 mg/kg. 24 HoursInhalation	Acute		
inhalation			
LC50 Rat > 3.9 mg/l, 4 Hours Oral LD50 Rat > 2000 mg/kg Trimethylolpropane Trioleate (CAS 57675-44-2) - Acute Dermal > 2000 mg/kg, 24 Hours DG70 Rabbit > 2000 mg/kg, 24 Hours Oral LD50 Rabbit > 2000 mg/kg, 24 Hours Tripropylene Glycol Monomethyl Ether (CAS 25498-49-1) - - Acute Dermal - 2000 mg/kg, 24 Hours Oral LD50 Rablit 15440 mg/kg, 24 Hours Oral LD50 Rablit 3400 mg/kg Oral Dormal - - Serious eye damage/eye Causes skin initiation. - Serious eye damage/eye Causes skin initiation. - Serious eye damage/eye Causes serious eye initiation. - Respiratory or skin sensitization Not a respiratory sensitization. Not a respiratory erestination. Respiratory or skin sensitization Not a respiratory erestination of Carcinogenicity to humans. - IARC Monograph. Overall E-bit (CAS 900-24-0) 3 Not classifiable as to carcinogenicity to humans. - ORA Specificatity Regulated. Visit available to indicate product or any components present at greater than 0.1% are multagenicity and the store (Causer fapto on Carcinogen. - IARC Monograph. Overall E-bit (CAS 900-24-0) 3 Not cl	LD50	Rabbit	> 2000 mg/kg, 24 Hours
Oral LDS0 Rat > 2000 mg/kg Trimetrytopropane Trioleate (CAS 57675-44.2)			
LbS0 Rat > 2000 mg/kg Trimetrylolpropane Trioleete (CAS 57675-44-2): Acute bormal LDS0 Rabit > 2000 mg/kg, 24 Hours CJS0 Rat > 2000 mg/kg CJS0 Ra	LC50	Rat	> 3.9 mg/l, 4 Hours
Acute Dermal LD50 Rabit > 2000 mg/kg, 24 Hours Oral LD50 Rat > 2000 mg/kg, 24 Hours Oral LD50 Rat > 2000 mg/kg Acute Dermal LD50 Rabit > 2000 mg/kg, 24 Hours Oral LD50 Rabit 15440 mg/kg, 24 Hours Oral LD50 Rabit 15440 mg/kg, 24 Hours Oral LD50 Rabit 3400 mg/kg Skin corrosion/initiation Causes skin initiation. Skin corrosion/initiation Causes serious eye initiation. Skin sensitization Not a respiratory sensitization. Skin sensitization Not data sinalable to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Germ cell mutagenic or genotoxic. Not datasifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity to humans. OSHA Specifically Regulated Subtances (29 CFR 1910.1001.1052) Not regulated. May cause drowsiness and dizziness. Specific target organ toxicity - traped target organ toxicity - single exposure Not datasified. Known To Be Human Carcinogen. CAS 64742-50.5 May cause drowsiness and dizziness. Specific target organ toxicity - specific target organ		Rat	> 2000 mg/kg
Dermal > 2000 mg/kg, 24 Hours LD50 Rabit > 2000 mg/kg, 24 Hours Drat > 2000 mg/kg LD50 Rat > 2000 mg/kg Triprozylene Glycol Monomethyl El/t=(CAS 25498-49-1)	Trimethylolpropane Trioleate (CA	S 57675-44-2)	
LD50 Rabit > 2000 mg/kg, 24 Hours Oral LD50 Rat > 2000 mg/kg Tripropylene Giycol Monomethyl Ether (CAS 25498-49-1) Acute Dormal LD50 Rabbit 15440 mg/kg, 24 Hours Oral LD50 Rabbit 15440 mg/kg, 24 Hours Oral LD50 Rabbit 3400 mg/kg Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye Serious eye damage/eye Serious eye damage/eye Serious eye damage/eye Serious eye damage/eye Serious eye damage/eye Serious eye damage/eye Respiratory ensitization Respiratory ensitization Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated. US. National Toxicology Program (NTP) Report on Carcinogen. (CAS 4742-53-6) Respiration foxicology Not classified as environmentally hazardous. Respirator hazard Away use drowsiness and dizziness. Specific target organ toxicity Respiratory and a way be fatal if swallowed and enters airways. Chronic effects Prolonged inhalation may be harmful. Partition coefficient noctanol Partition coefficient no	Acute		
Oral LD50 Rat > 2000 mg/kg Tripropylene Glycol Monomethyl Ether (CAS 25498-49-1)	Dermal		
LD50 Rat > 2000 mg/kg Triproylene Glycol Monomethyl El/er (CAS 25498-49-1) Accute Dormal LD50 Rabbit 15440 mg/kg, 24 Hours Oral LD50 Rat 3400 mg/kg Skin orrosion/irritation Sorious ye damagelyey Respiratory or skin sensitization Respiratory sensitization Respiratory or skin sensitization Respiratory or skin sensitization Respiratory sensitization of Carcinogenicity to humans. Osci as available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Not classifiable as to carcinogenicity to humans. Osci as available to indicate product or any components present at greater than 0.1% are Matter and United Second Seco	LD50	Rabbit	> 2000 mg/kg, 24 Hours
Tripropylene Glycol Monomethyl Ether (CAS 25498-49-1) Acute Dermal LD50 Rabbit 15440 mg/kg, 24 Hours Oral LD50 Rat 3400 mg/kg Skin corrosion/irritation Grai LD50 Rat 3400 mg/kg Skin corrosion/irritation Gauses skin irritation. Serious eye damage/eye Causes serious eye irritation. Respiratory or skin sensitization Respiratory or skin sensitization This product is not expected to cause skin sensitization. Germ cell mutagenicity Not dat available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity Polytetrafluoroethylene (PTFE) (CAS 9002-84-0) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Requisated Substances (29 CFR 1910.1001-1052) Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens Hydrotreated Light Naphth=mic Distillates Petroleum Known To Be Human Carcinogen. (CAS 64742-63-6) Reproductive toxicity Not classified. Specific target organ toxicity - Not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Braceton coefficient n-ocetanel Specific target organ toxicity - Not class	Oral		
Acute Dormal LD50 Rabbit 15440 mg/kg, 24 Hours Oral LD50 Rat 3400 mg/kg Skin corrosion/lirritation Causes skin irritation. Same and the sensitization Serious eye damage/eye Causes serious eye irritation. Same and the sensitization Respiratory or skin sensitization Not a respiratory sensitization. Skin sensitization Respiratory sensitization Not a respiratory sensitization. Skin sensitization. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity Polytetrafluoroethylene (PTFE) (CAS 9002-84-0) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated. Not regulated. Way cause drowsiness and dizziness. Single exposure Specific targe organ toxicity single exposure Known To Be Human Carcinogen. Known To Be Human Carcinogen. Specific targe organ toxicity single exposure May cause drowsiness and dizziness. Single exposure Specific targe organ toxicity single use drows	LD50	Rat	> 2000 mg/kg
DermalLD50Rabit15440 mg/kg, 24 HoursOral	Tripropylene Glycol Monomethyl B	Ether (CAS 25498-49-1)	
LDS0 Rebit 15440 mg/kg, 24 Hours Oral LD50 Rat 3400 mg/kg. Skin corrosion/irritation Scinus eye damage/eye irritation Respiratory or skin sensitization Respiratory or skin sensitization Not a respiratory sensitization Respiratory or skin sensitization Not a respiratory sensitization Respiratory or skin sensitization Respiratory or skin sensitization Respiratory or skin sensitization Not a sepiratory sensitizer. Skin sensitization Not a sepiratory sensitizer. Skin sensitization Respiratory or skin sensitization Garen cell mutagenicity Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (28 CFR 1910.1001-1052) Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens Hydrotreated Light Naphthenic Distillates Petroleum Known To Be Human Carcinogen. (CAS 64742-53-6) Reproductive toxicity Specific target organ toxicity - single exposure Specific target organ toxicity - Specific target organ toxicity - Reported exposure Specific target organ toxicity - Reprotuct is not classified. Partition coefficient n-octam/ Bioaccumulative potential Partition coefficient n-octami Partition coefficient n-octami Known To Be human Carcinogen. (CAS 64742-53-6) Reproductive toxicity - Specific target organ toxicity - Not classified. Partition coefficient n-octami Not data is available on the degradability of any ingredients in the mixture. Bioaccumulative potential Partition coefficient n-octami Known To Be atheros and and and speradability of any ingred			
Oral LD50 Rat 3400 mg/kg Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye Causes serious eye irritation Causes serious eye irritation. Respiratory or skin sensitization Not a respiratory sensitizer. Respiratory or skin sensitization Not a respiratory sensitizer. Skin sensitization This product is not expected to cause skin sensitization. Germ cell mutagenic or genotoxic. Germ cell mutagenic or genotoxic. Carcinogenicity Not data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. IARC Monographs. Overall Evaluation of Carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity Not classifiable as to carcinogenicity be polyterafluoroethylene (PTFE) (CAS 9002-84-0) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not classifiable as to carcinogen. Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens Hydrotreated Light Naphthenic Distillates Petroleum Known To Be Human Carcinogen. (CAS 64742-53-6) May cause drowsiness and dizziness. Single exposure May cause drowsiness and dizziness. Specific target organ toxicity - repeated exposure Not classified.			
LD50Rat3400 mg/kgSkin corrosion/irritationCauses skin irritation. Causes serious eye irritation. Causes serious eye irritation. Causes serious eye irritation. Respiratory or skin sensitizationCauses serious eye irritation. Causes serious eye irritation.Respiratory sensitizationNot a respiratory sensitizer. This product is not expected to cause skin sensitization. No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.CarcinogenicityNot classifiable as to carcinogenicity to humans. Not classifiable as to carcinogenicity to humans.IARC Monographs. Overall Evaluation of Carcinogenicity Polyterafluoroethylene (PTE) (CAS 9002-84-0)3 Not classifiable as to carcinogenicity to humans. OSHA Specifically RegulatedVS. National Toxicology Porture MUTP) Report on Carcinogens Mydrotreated Light NaphtHemic Distillates Petroleum (CAS 64742-53-6)Known To Be Human Carcinogen. (CAS 64742-53-6)Reporductive toxicityThis product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - Prolyterated Light NaphtHemic Distillates Petroleum May cause drowsiness and dizziness.Known To Be Human Carcinogen. (CAS 64742-53-6)Specific target organ toxicity - Reporductive toxicityNot classified. Not classified.Specific target organ toxicity - Prolyter at Light MaphtHemic Distillation may be harmful.Chronic effectsNot classified.Specific target organ toxicity - Prolyter at Light MaphtHemic Distillation may be harmful or damaging effect on the environment.Aspiration hazardNot classified as environmentally hazardous. However, this does not e	LD50	Rabbit	15440 mg/kg, 24 Hours
Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye Causes serious eye irritation. Serious eye damage/eye Causes serious eye irritation. Respiratory or skin sensitization Not a respiratory sensitization Respiratory sensitization This product is not expected to cause skin sensitization. Germ cell mutagenicity Not classifiable to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens Hydrotreated Light Naphthenic Distillates Petroleum Known To Be Human Carcinogen. (CAS 64742-53-6) May cause drowsiness and dizziness. Specific target organ toxicity - May cause drowsiness and dizziness. Specific target organ toxicity - Not classified. Prolonged inhalation may be harmful. 12. Ecological information The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. 12. Ecological information<			
Serious eye damage/eye Causes serious eye irritation. Respiratory or skin sensitization Not a respiratory sensitizer. Skin sensitization This product is not expected to cause skin sensitization. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not data silable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated. Not classifiable as to carcinogens. Hydrotreated Light Naphthenic Distillates Petroleum Known To Be Human Carcinogen. (CAS 64742-53-6) Resport oxicity Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - prolonged inhalation may be harmful. May cause drowsiness and dizziness. Specific target organ toxicity - repeated exposure Not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. 12. Ecological information No data is available on the degradability of any ingredients in the mixture. Bioaccumulative potential Frequent spills c	LD50	Rat	3400 mg/kg
Irritation Respiratory or skin sensitization Not a respiratory sensitization Respiratory sensitization Not a respiratory sensitizer. Skin sensitization This product is not expected to cause skin sensitization. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity Polytetrafluoroethylene (PTFE) (CAS 9002-84-0) OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens Hydrotreated Light Naphthenic Distillates Petroleum Known To Be Human Carcinogen. (CAS 64742-53-6) May cause drowsiness and dizziness. Single exposure May cause drowsiness and dizziness. Specific target organ toxicity - repeated exposure Not classified. Aspiration hazard May be fatal if swallowed and enters airways. Chronic effects Prolonged inhalation may be harmful. 12. Ecological information The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Perestence and degra	Skin corrosion/irritation	Causes skin irritation.	
Respiratory sensitization Not a respiratory sensitizer. Skin sensitization This product is not expected to cause skin sensitization. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity 3 Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity Polytetrafluoroethylene (PTFE) (CAS 9002-84-0) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens Known To Be Human Carcinogen. Hydrotreated Light Naphthenic Distillates Petroleum Known To Be Human Carcinogen. (CAS 64742-53-6) This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure Not classified. Specific target organ toxicity - reposure Not classified. Reproductive toxicity Not classified. repeated exposure May be fatal if swallowed and enters ainways. Chronic effects Prolonged inhalation may be harmful. 12. Ecological information	Serious eye damage/eye irritation	Causes serious eye irritation.	
Skin sensitization This product is not expected to cause skin sensitization. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity Polytetrafluoroethylene (PTFE) (CAS 9002-84-0) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated. Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens Hydrotreated Light Naphthenic Distillates Petroleum Known To Be Human Carcinogen. (CAS 64742-53-6) This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure May cause drowsiness and dizziness. Specific target organ toxicity - repeated exposure Not classified. Reproductive toxicity Not classified. repeated exposure Prolonged inhalation may be harmful. 12. Ecological information The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. No data is available on the degradability of any ingredients in the mixture. Bioaccumulative potential Partition coefficient n-octanol / w	Respiratory or skin sensitizatio	n	
Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity Polytetrafiluoroethylene (PTFE) (CAS 9002-84-0) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated. US. National Toxicology Program (NTP) Report on Carcinogens Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens Hydrotreated Light Naphthenic Distillates Petroleum (CAS 64742-53-6) Known To Be Human Carcinogen. (CAS 64742-53-6) Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - repeated exposure May cause drowsiness and dizziness. Specific target organ toxicity - repeated exposure Not classified. Reproductive toxicity May be fatal if swallowed and enters ainways. Chronic effects Prolonged inhalation may be harmful. 12. Ecological information The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. No data is available on the degradability of any ingredients in the mixture. Bloaccumulative potential Partition coefficient n-octanol / water (log Kow) Trimethylolpropane Trioleate </td <td>Respiratory sensitization</td> <td>Not a respiratory sensitizer.</td> <td></td>	Respiratory sensitization	Not a respiratory sensitizer.	
mutagenic or genotoxic. Carcinogenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity Polytetrafiluoroethylene (PTFE) (CAS 9002-84-0) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens Hydrotreated Light Naphthenic Distillates Petroleum Known To Be Human Carcinogen. (CAS 64742-53-6) This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure May cause drowsiness and dizziness. Specific target organ toxicity - single exposure Not classified. Reproductive fects Prolonged inhalation may be harmful. 12. Ecological information The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Persistence and degradability No data is available on the degradability of any ingredients in the mixture. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) Trimethylolpropane Trioleate 24.73, at 22 C	Skin sensitization	This product is not expected to cause skin se	nsitization.
IARC Monographs. Overall Evaluation of Carcinogenicity 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated. US. National Toxicology Program (NTP) Report on Carcinogens Hydrotreated Light Naphthenic Distillates Petroleum Known To Be Human Carcinogen. (CAS 64742-53-6) This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure May cause drowsiness and dizziness. Specific target organ toxicity - repeated exposure Not classified. Specific target organ toxicity - repeated exposure Not classified. Chronic effects Prolonged inhalation may be harmful. 12. Ecological information The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Persistence and degradability No data is available on the degradability of any ingredients in the mixture. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) Trimethylolpropane Trioleate 24.73, at 22 C	Germ cell mutagenicity		omponents present at greater than 0.1% are
Polytetrafluoroethylene (PTFE) (CAS 9002-84-0) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated. Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens Hydrotreated Light Naphthenic Distillates Petroleum (CAS 64742-53-6) Known To Be Human Carcinogen. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure May cause drowsiness and dizziness. Specific target organ toxicity - repeated exposure Not classified. Prolonged inhalation may be harmful. 12. Ecological information Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. No data is available on the degradability of any ingredients in the mixture. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) Trimethylolpropane Trioleate 24.73, at 22 C	Carcinogenicity	Not classifiable as to carcinogenicity to humans.	
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated. Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens Hydrotreated Light Naphthenic Distillates Petroleum (CAS 64742-53-6) Known To Be Human Carcinogen. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure May cause drowsiness and dizziness. Specific target organ toxicity - repeated exposure Not classified. Specific target organ toxicity - repeated exposure Not classified. Aspiration hazard May be fatal if swallowed and enters airways. Chronic effects Prolonged inhalation may be harmful. 12. Ecological information The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. No data is available on the degradability of any ingredients in the mixture. No data is available on the degradability of any ingredients in the mixture. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) Trimethylolpropane Trioleate 24.73, at 22 C	IARC Monographs. Overall	Evaluation of Carcinogenicity	
US. National Toxicology Program (NTP) Report on Carcinogens Hydrotreated Light Naphthenic Distillates Petroleum (CAS 64742-53-6) Known To Be Human Carcinogen. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity- single exposure May cause drowsiness and dizziness. Specific target organ toxicity- repeated exposure Not classified. Aspiration hazard May be fatal if swallowed and enters airways. Chronic effects Prolonged inhalation may be harmful. 12. Ecological information The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Persistence and degradability No data is available on the degradability of any ingredients in the mixture. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) Trimethylolpropane Trioleate 24.73, at 22 C			able as to carcinogenicity to humans.
Hydrotreated Light Naphthenic Distillates Petroleum (CAS 64742-53-6) Known To Be Human Carcinogen. (CAS 64742-53-6) Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure May cause drowsiness and dizziness. Specific target organ toxicity - repeated exposure Not classified. Aspiration hazard May be fatal if swallowed and enters airways. Chronic effects Prolonged inhalation may be harmful. 12. Ecological information The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. No data is available on the degradability of any ingredients in the mixture. Bioaccumulative potential Partition coefficient n-octamol / water (log Kow) Trimethylolpropane Trioleate 24.73, at 22 C			
Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure May cause drowsiness and dizziness. Specific target organ toxicity - repeated exposure Not classified. Aspiration hazard May be fatal if swallowed and enters airways. Chronic effects Prolonged inhalation may be harmful. 12. Ecological information The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. No data is available on the degradability of any ingredients in the mixture. No data is available on the degradability of any ingredients in the mixture. Partition coefficient n-octamol / water (log Kow) Trimethylolpropane Trioleate 24.73, at 22 C	Hydrotreated Light Naph		Human Carcinogen.
Specific target organ toxicity - single exposure May cause drowsiness and dizziness. Specific target organ toxicity - repeated exposure Not classified. Aspiration hazard May be fatal if swallowed and enters airways. Chronic effects Prolonged inhalation may be harmful. 12. Ecological information The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Persistence and degradability No data is available on the degradability of any ingredients in the mixture. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) Trimethylolpropane Trioleate 24.73, at 22 C 24.73, at 22 C		This product is not expected to cause reprodu	ictive or developmental effects
single exposure Not classified. Specific target organ toxicity - Not classified. repeated exposure May be fatal if swallowed and enters airways. Aspiration hazard May be fatal if swallowed and enters airways. Chronic effects Prolonged inhalation may be harmful. 12. Ecological information Image: Construct on the product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Persistence and degradability No data is available on the degradability of any ingredients in the mixture. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) Trimethylolpropane Trioleate 24.73, at 22 C 24.73, at 22 C			active of developmental effects.
Aspiration hazard May be fatal if swallowed and enters airways. Chronic effects Prolonged inhalation may be harmful. 12. Ecological information Image: Cological information Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. No data is available on the degradability of any ingredients in the mixture. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) Trimethylolpropane Trioleate 24.73, at 22 C	single exposure		
Chronic effects Prolonged inhalation may be harmful. 12. Ecological information Image: Cological information Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. No data is available on the degradability of any ingredients in the mixture. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) Trimethylolpropane Trioleate 24.73, at 22 C	Specific target organ toxicity - repeated exposure	Not classified.	
12. Ecological information Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. No data is available on the degradability of any ingredients in the mixture. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) Trimethylolpropane Trioleate 24.73, at 22 C	Aspiration hazard	May be fatal if swallowed and enters airways.	
Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Persistence and degradability No data is available on the degradability of any ingredients in the mixture. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) Trimethylolpropane Trioleate 24.73, at 22 C	Chronic effects	Prolonged inhalation may be harmful.	
possibility that large or frequent spills can have a harmful or damaging effect on the environment. Persistence and degradability No data is available on the degradability of any ingredients in the mixture. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) Trimethylolpropane Trioleate 24.73, at 22 C	12. Ecological informatio	n	
Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) Trimethylolpropane Trioleate 24.73, at 22 C	Ecotoxicity		
Partition coefficient n-octanol / water (log Kow) Trimethylolpropane Trioleate 24.73, at 22 C	Persistence and degradability		
Trimethylolpropane Trioleate 24.73, at 22 C	Bioaccumulative potential		
			SDS U

Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.	


14. Transport information

DOT

DOT	
UN number	UN1950
UN proper shipping name	Aerosols, flammable, (each not exceeding 1 L capacity), Limited Quantity
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not available.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	N82
Packaging exceptions	306
Packaging non bulk	None
Packaging bulk	None
ΙΑΤΑ	
UN number	UN1950
UN proper shipping name	Aerosols, flammable, Limited Quantity
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	Yes
ERG Code	10L
	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN1950
UN proper shipping name	Aerosols, flammable, MARINE POLLUTANT (Petroleum Distillates), Limited Quantity
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	
Marine pollutant	Yes
EmS	F-D, S-U
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Petroleum Distillates	

Transport in bulk according to
Annex II of MARPOL 73/78 and
the IBC CodeNot established.







General information

IMDG Regulated Marine Pollutant.

15. Regulatory information	tion		
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		
TSCA Section 12(b) Exp	ort Notification (40 CFR 707, Su	ıbpt. D)	
Not regulated.			
TSCA Chemical Action F	Plans, Chemicals of Concern		
Polytetrafluoroethyler	ne (PTFE) (CAS 9002-84-0)	Long-Chain Perfluorinated Chemicals (PFCs) Action Plan	
CERCLA Hazardous Sub	ostance List (40 CFR 302.4)		
Not listed.			
SARA 304 Emergency re	lease notification		
Not regulated.			
OSHA Specifically Regu	lated Substances (29 CFR 1910	.1001-1052)	
Not regulated.			
Superfund Amendments and	Reauthorization Act of 1986 (S	SARA)	
SARA 302 Extremely ha	zardous substance		
Not listed.			
SARA 311/312 Hazardou chemical	s Yes		

Classified hazard categories	Flammable (gases, aerosols, liquids, or solids) Acute toxicity (any route of exposure) Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure) Aspiration hazard	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs) List	
Not regulated. Clean Air Act (CAA) Section Not regulated.	112(r) Accidental Release Prevention (40 CFR 68.130)	
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations		
California Proposition 65		
US. California. Candidat subd. (a))	e Chemicals List. Safer Consumer Products Regulations (Cal. Co	de Regs, tit. 22, 69502.3,
Hydrotreated Light N	aphthenic Distillates Petroleum (CAS 64742-53-6)	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No
	ents of this product comply with the inventory requirements administered by th components of the product are not listed or exempt from listing on the inventor	

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	04-27-2015
Revision date	07-19-2021
Version #	16
HMIS® ratings	Health: 2 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 2 Flammability: 1 Instability: 0
NFPA ratings	2 0

Dis	cla	im	er
013	010		CI.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision information

Hazard(s) identification: Supplemental information Physical & Chemical Properties: Multiple Properties