

**Calcium Silicate Pipe, Block and Board Insulation**

Version 2.2

Revision Date 06/17/2019

Print Date 06/17/2019

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Trade name : HP Block Insulation, Thermo-12® Gold, Thermo-1200®

## Manufacturer or supplier's details

Company : Johns Manville  
Address : P.O. Box 5108  
Denver, CO USA 80127  
Telephone : +1-303-978-2000  
Emergency telephone : +1-800-424-9300 (CHEMTREC)  
numberCompany : Johns Manville Canada Inc.  
Address : 5301 42 Avenue  
Innisfail, AB Canada T4G 1A2  
Telephone : +1-303-978-2000  
Emergency telephone : +1-800-424-9300 (CHEMTREC)  
number

Recommended use of the chemical and restrictions on use

Restrictions on use : For professional users only.

Prepared by : productsafety@jm.com

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with 29 CFR 1910.1200 (OSHA HCS 2012) and the Hazardous Products Regulations (WHMIS 2015)**

Not a hazardous substance or mixture.

**GHS label elements**

Not a hazardous substance or mixture.

**Other hazards**

Temporary mechanical abrasion (itching) of skin, eyes and respiratory tract may occur upon exposure to fibers or dust during handling of this product and cannot occur unless there is direct contact.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS****Chemical nature**

Pipe or block insulation with a tan color throughout to indicate the product is asbestos free.

**Hazardous components**

Chemical name	CAS-No.	Concentration (%)
synthetic calcium silicate	1344-95-2	>= 90
cellulose	9004-34-6	>= 0 - <= 4

**SECTION 4. FIRST AID MEASURES**

General advice : No hazards which require special first aid measures.

**Calcium Silicate Pipe, Block and Board Insulation**

Version 2.2

Revision Date 06/17/2019

Print Date 06/17/2019

- If inhaled : If symptoms persist, call a physician.
- In case of skin contact : If symptoms persist, call a physician.
- In case of eye contact : Remove contact lenses.  
Protect unharmed eye.  
Rinse thoroughly with plenty of water, also under the eyelids.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : None known.

---

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Standard procedure for chemical fires.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Avoid dust formation.
- Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.  
Sweep up and shovel.  
Keep in suitable, closed containers for disposal.

---

**SECTION 7. HANDLING AND STORAGE**

- Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.

## Calcium Silicate Pipe, Block and Board Insulation

Version 2.2

Revision Date 06/17/2019

Print Date 06/17/2019

- Conditions for safe storage : Keep in a dry, cool place.
- Materials to avoid : No materials to be especially mentioned.
- Further information on storage stability : Stable at normal ambient temperature and pressure.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
synthetic calcium silicate	1344-95-2	TWA (respirable)	5 mg/m <sup>3</sup>	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (total dust)	15 mg/m <sup>3</sup>	OSHA
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA
		TWA (inhalable fraction)	1 mg/m <sup>3</sup>	ACGIH
cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	ACGIH
		TWA (respirable)	5 mg/m <sup>3</sup>	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (total dust)	15 mg/m <sup>3</sup>	OSHA
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA

#### Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.  
Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Filter type : Particulates type

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.

**Calcium Silicate Pipe, Block and Board Insulation**

Version 2.2

Revision Date 06/17/2019

Print Date 06/17/2019

Eye protection	:	Safety glasses
Skin and body protection	:	If used and stored as directed, no special protective equipment is necessary.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	solid
Color	:	tan
Odor	:	odorless
Odor Threshold	:	No data available
pH	:	Not applicable
Melting point/range	:	Not applicable
Initial boiling point and boiling range	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	No data available
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	0.24
Solubility(ies)		
Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Thermal decomposition	:	No data available
Viscosity		

**Calcium Silicate Pipe, Block and Board Insulation**

Version 2.2

Revision Date 06/17/2019

Print Date 06/17/2019

Viscosity, dynamic : Not applicable  
Viscosity, kinematic : Not applicable

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.  
Chemical stability : No decomposition if stored and applied as directed.  
Possibility of hazardous reactions : Stable under recommended storage conditions.  
No hazards to be specially mentioned.  
Conditions to avoid : No data available

**SECTION 11. TOXICOLOGICAL INFORMATION**

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
**ACGIH** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.  
**OSHA** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**STOT - single exposure****Components:**

**synthetic calcium silicate:**  
Target Organs: Eyes, Lungs

**Further information****Product:**

Remarks: Temporary mechanical abrasion (itching) of skin, eyes and respiratory tract may occur upon exposure to fibers or dust during handling of this product and cannot occur unless there is direct contact.

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**  
No data available

**Calcium Silicate Pipe, Block and Board Insulation**

Version 2.2

Revision Date 06/17/2019

Print Date 06/17/2019

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects****Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82  
Protection of Stratospheric Ozone - CAA Section 602 Class I  
Substances  
Remarks: This product neither contains, nor was  
manufactured with a Class I or Class II ODS as defined by the  
U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +  
B).

Additional ecological information : Due to the properties of the product, a hazard to the  
environment may not be expected.

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Disposal of residual product : Dispose of contents/container to an approved facility in  
accordance with local, regional, national and international  
regulations.

---

**SECTION 14. TRANSPORT INFORMATION****International transport regulations****Land transport**

USDOT: Not classified as a dangerous good under transport regulations

TDG: Not classified as a dangerous good under transport regulations

**Sea transport**

IMDG: Not classified as a dangerous good under transport regulations

**Air transport**

IATA/ICAO: Not classified as a dangerous good under transport regulations

---

**SECTION 15. REGULATORY INFORMATION****TSCA list**

TSCA - 5(a) Significant New Use Rule List of Chemicals : Not relevant

U.S. Toxic Substances Control Act (TSCA) Section : Not relevant

**Calcium Silicate Pipe, Block and Board Insulation**

Version 2.2

Revision Date 06/17/2019

Print Date 06/17/2019

12(b) Export Notification (40 CFR 707, Subpart D)

**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : No SARA Hazards**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

**California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)**

This product does not require a warning under the California Safe Drinking Water and Toxic Enforcement Act (Proposition 65).

**The components of this product are reported in the following inventories:**

TSCA : On the inventory, or in compliance with the inventory

DSL : On the inventory, or in compliance with the inventory

---

**SECTION 16. OTHER INFORMATION****Further information**

Revision Date : 06/17/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.