

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 04/18/2017

Revision date: 04/18/2017 Version: 1.0

ECTION 1: Identification	
.1. Product identifier	
Substance name : Dust Destroy	yer Compressed Gas Duster
	50-35521, 50-10521C, 50-35522C, 50-07521, 50-07522, 50-07524, 50-07521C,
50-07522C, \$	50-07524C, 50-075212C, 50-0748, 50-07526, 50-105212RCP, 50-10522C, 50-10524C
	ubstance or mixture and uses advised against
Jse of the substance/mixture	: Dust Removal
1.3. Details of the supplier of the safe	ety data sheet
Falcon Safety Products, Inc. 25 ImClone Drive Branchburg, NJ 08876 - USA T (908) 707-4900	
1.4. Emergency telephone number	
Emergency number	: (800) 498-7192
SECTION 2: Hazards identification	n
2.1. Classification of the substance or	or mixture
GHS-US and GHS-CA classification	
Flam. Aerosol Category 2	
Press. Gas (Liquified Gas)	
2.2. Label elements	
GHS-US and GHS-CA labelling Hazard pictograms (GHS-US/GHS-CA)	
Signal word (GHS-US/GHS-CA) Hazard statements (GHS-US/GHS-CA) Precautionary statements (GHS-US/GHS-CA)	 Warning Flammable aerosol. Contains gas under pressure; may explode if heated. Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not spray on an op flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.
	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a we ventilated place.
2.3. Other hazards	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a we
	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a we
Do not store in enclosed vehicle.	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a we ventilated place.
Do not store in enclosed vehicle. 2.4. Unknown acute toxicity (GHS US/	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a we ventilated place.
Do not store in enclosed vehicle. 2.4. Unknown acute toxicity (GHS US/ Not applicable.	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a we ventilated place.
Do not store in enclosed vehicle. 2.4. Unknown acute toxicity (GHS US/ Not applicable. SECTION 3: Composition/informat	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a we ventilated place.
Do not store in enclosed vehicle. 2.4. Unknown acute toxicity (GHS US/ Not applicable. SECTION 3: Composition/informat	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a we ventilated place.
Do not store in enclosed vehicle. 2.4. Unknown acute toxicity (GHS US/ Not applicable. SECTION 3: Composition/informat 3.1. Substance	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a we ventilated place.
Do not store in enclosed vehicle. 2.4. Unknown acute toxicity (GHS US/ Not applicable. SECTION 3: Composition/informat 3.1. Substance Name 1,1-Difluoroethane	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a we ventilated place. S/GHS CA) Ition on ingredients Product identifier %
Do not store in enclosed vehicle. 2.4. Unknown acute toxicity (GHS US/ Not applicable. SECTION 3: Composition/informat 3.1. Substance Name 1,1-Difluoroethane 3.2. Mixture	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a we ventilated place. S/GHS CA) Ition on ingredients Product identifier %
Do not store in enclosed vehicle. 2.4. Unknown acute toxicity (GHS US/ Not applicable. SECTION 3: Composition/informat 3.1. Substance Name 1,1-Difluoroethane 3.2. Mixture Not applicable.	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a we ventilated place. S/GHS CA) Ition on ingredients Product identifier %
Do not store in enclosed vehicle. 2.4. Unknown acute toxicity (GHS US/ Not applicable. SECTION 3: Composition/informat 3.1. Substance Name 1,1-Difluoroethane 3.2. Mixture Not applicable. SECTION 4: First aid measures	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a we ventilated place. S/GHS CA) Ition on ingredients Product identifier % (CAS No) 75-37-6 100
Do not store in enclosed vehicle. 2.4. Unknown acute toxicity (GHS US/ Not applicable. SECTION 3: Composition/informat 3.1. Substance Name 1,1-Difluoroethane 3.2. Mixture Not applicable. SECTION 4: First aid measures 4.1. Description of first aid measures	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a we ventilated place. S/GHS CA) tion on ingredients (CAS No) 75-37-6 100 tion tion tion tion tion tion tion tio
Do not store in enclosed vehicle. 2.4. Unknown acute toxicity (GHS US/ Not applicable. SECTION 3: Composition/informat 3.1. Substance Name 1,1-Difluoroethane 3.2. Mixture Not applicable. SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures after inhalation	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a we ventilated place. S/GHS CA) Ation on ingredients Product identifier % (CAS No) 75-37-6 100
Do not store in enclosed vehicle. 2.4. Unknown acute toxicity (GHS US/ Not applicable. SECTION 3: Composition/informat 3.1. Substance Name 1,1-Difluoroethane 3.2. Mixture Not applicable. SECTION 4: First aid measures	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a we ventilated place. S/GHS CA) Ition on ingredients C(CAS No) 75-37-6 IU0 Ition of the temperature of the temperature of the temperature of temperature o

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
First-aid measures after ingestion	: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
.2. Most important symptoms and effect	
Symptoms/injuries after inhalation	: May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system
	depression.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause frostbite on contact with the liquid.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May cause frostbite on contact with the liquid.
Symptoms/injuries after ingestion	: Not a normal route of exposure.
.3. Indication of any immediate medical	attention and special treatment needed
Symptoms may not appear immediately. In case of a	accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).
SECTION 5: Firefighting measures	
.1. Extinguishing media	. Water arrow water for dry chamical placed resistant form on the divide
suitable extinguishing media	: Water spray, water fog, dry chemical, alcohol resistant foam, carbon dioxide.
Insuitable extinguishing media	: None known.
.2. Special hazards arising from the sub	ostance or mixture
ire hazard	: Flammable aerosol. Products of combustion may include, and are not limited to: oxides of carbon, hydrofluoric acid, carbonyl fluoride.
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
.3. Advice for firefighters	
irefighting instructions	: DO NOT fight fire when fire reaches explosives. Evacuate area. Vapors are heavier than air
	and may travel considerable distance to an ignition source and flash back to source of vapors.
rotection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
ECTION 6: Accidental release meas	sures
.1. Personal precautions, protective equ	
5.1. Personal precautions, protective equeses	 Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.
 Personal precautions, protective equiseneral measures Methods and material for containment 	 uipment and emergency procedures Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. nt and cleaning up
.1. Personal precautions, protective equi General measures .2. Methods and material for containment for containment	uipment and emergency procedures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. nt and cleaning up : Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).
.1. Personal precautions, protective equiperation of the second state of the second st	 uipment and emergency procedures Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. nt and cleaning up
.1. Personal precautions, protective equipmental measures .2. Methods and material for containment for containment Methods for cleaning up .3. Reference to other sections	uipment and emergency procedures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. nt and cleaning up : Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). : Leave the product to evaporate. Provide ventilation.
.1. Personal precautions, protective equiparts General measures .2. Methods and material for containment or containment .1. Reference to other sections Reference to other sections <	uipment and emergency procedures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. nt and cleaning up : Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).
A.1. Personal precautions, protective equiparts General measures	uipment and emergency procedures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. nt and cleaning up : Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). : Leave the product to evaporate. Provide ventilation.
Answer Personal precautions, protective equiparts General measures Seneral measures Answer Methods and material for containment For containment Methods for cleaning up Answer Methods for cleaning up Answer Reference to other sections See section 8 for further information on protective SECTION 7: Handling and storage	uipment and emergency procedures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. nt and cleaning up : Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). : Leave the product to evaporate. Provide ventilation.
6.1. Personal precautions, protective equ General measures Seneral measures 6.2. Methods and material for containment For containment Methods for cleaning up 6.3. Reference to other sections See section 8 for further information on protective SECTION 7: Handling and storage 7.1. Precautions for safe handling	uipment and emergency procedures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. nt and cleaning up : Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). : Leave the product to evaporate. Provide ventilation.
Additional hazards when processed	Jipment and emergency procedures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. nt and cleaning up : Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). : Leave the product to evaporate. Provide ventilation. e clothing and equipment and section 13 for advice on waste disposal. : Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or
1. Personal precautions, protective equation iseneral measures	 Jipment and emergency procedures Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. nt and cleaning up Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). Leave the product to evaporate. Provide ventilation. e clothing and equipment and section 13 for advice on waste disposal. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use. Keep away from sources of ignition - No smoking. Do not spray on an open flame or other ignition source. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Provide local exhaust or general room ventilation. When using do not eat, drink or smoke. Prevent the build-up of electrostatic charge. Use non-sparking tools.
Personal precautions, protective equiperent measures Seneral measures .2. Methods and material for containment or containment lethods for cleaning up .3. Reference to other sections see section 8 for further information on protective SECTION 7: Handling and storage .1. Precautions for safe handling dditional hazards when processed recautions for safe handling lygiene measures	 Jipment and emergency procedures Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. nt and cleaning up Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). Leave the product to evaporate. Provide ventilation. e clothing and equipment and section 13 for advice on waste disposal. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use. Keep away from sources of ignition - No smoking. Do not spray on an open flame or other ignition source. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Provide local exhaust or general room ventilation. When using do not eat, drink or smoke. Prevent the build-up of electrostatic charge. Use non-sparking tools. Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
A.1. Personal precautions, protective equipment measures A.2. Methods and material for containment for containment Methods for cleaning up A.3. Reference to other sections See section 8 for further information on protective SECTION 7: Handling and storage A.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Additional hazards when processed Precautions for safe storage, includin	 Jipment and emergency procedures Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. nt and cleaning up Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). Leave the product to evaporate. Provide ventilation. e clothing and equipment and section 13 for advice on waste disposal. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use. Keep away from sources of ignition - No smoking. Do not spray on an open flame or other ignition source. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Provide local exhaust or general room ventilation. When using do not eat, drink or smoke. Prevent the build-up of electrostatic charge. Use non-sparking tools. Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
S.1. Personal precautions, protective equipment measures Methods and material for containment Methods for cleaning up S.3. Reference to other sections See section 8 for further information on protective SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, includin Technical measures	 Jipment and emergency procedures Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. nt and cleaning up Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). Leave the product to evaporate. Provide ventilation. e clothing and equipment and section 13 for advice on waste disposal. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use. Keep away from sources of ignition - No smoking. Do not spray on an open flame or other ignition source. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Provide local exhaust or general room ventilation. When using do not eat, drink or smoke. Prevent the build-up of electrostatic charge. Use non-sparking tools. Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
6.1. Personal precautions, protective equ General measures 6.2. Methods and material for containment For containment Methods for cleaning up 6.3. Reference to other sections See section 8 for further information on protective SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, includin Technical measures	 Jipment and emergency procedures Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. nt and cleaning up Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). Leave the product to evaporate. Provide ventilation. e clothing and equipment and section 13 for advice on waste disposal. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use. Keep away from sources of ignition - No smoking. Do not spray on an open flame or other ignition source. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Provide local exhaust or general room ventilation. When using do not eat, drink or smoke. Prevent the build-up of electrostatic charge. Use non-sparking tools. Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
General measures 6.2. Methods and material for containment For containment Methods for cleaning up 6.3. Reference to other sections See section 8 for further information on protective SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures	 Jipment and emergency procedures Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. nt and cleaning up Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). Leave the product to evaporate. Provide ventilation. e clothing and equipment and section 13 for advice on waste disposal. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use. Keep away from sources of ignition - No smoking. Do not spray on an open flame or other ignition source. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Provide local exhaust or general room ventilation. When using do not eat, drink or smoke. Prevent the build-up of electrostatic charge. Use non-sparking tools. Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking. Proper grounding procedures to avoid static electricity should be followed. Keep out of the reach of children. Keep container dry and in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep in fireproof place.

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			
1,1-Difluoroethane (75-37-6)			
ACGIH	Not applicable.		
OSHA	Not applicable.		
NIOSH	Not applicable.		
IDLH	Not applicable.		

8.2	2. Exposure controls	
Ар	propriate engineering controls	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Ha	nd protection	: Wear suitable gloves.
Eye	e protection	: Safety glasses with side shields.
Ski	in and body protection	: Wear suitable protective clothing.
Re	spiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
En	vironmental exposure controls	: Maintain levels below Community environmental protection thresholds.
Oth	her information	: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemica	ar properties
.1. Information on basic physical an	d chemical properties
hysical state	: Gas
ppearance	: Clear
Color	: Colourless
Odor	: Slight, ether-like
Odor threshold	: No data available
Н	: Neutral
lelting point	: No data available
reezing point	: No data available
oiling point	: -13 °F (- 25 °C)
lash point	: < 58 °F (<14.4 °C)
elative evaporation rate (butyl acetate=1)	: No data available
lammability (solid, gas)	: Flammable
xplosion limits	: 3.9-16.9
xplosive properties	: No data available
Dxidizing properties	: No data available
apor pressure	: 5960 kPa at 77 °F (25 °C)
elative density	: 0.91
elative vapor density at 20 °C	: 2.4 at 77 °F (25 °C)
pecific gravity / density	: 0.9
olubility	: Slightly
artition coefficient: n-octanol/water	: No data available
uto-ignition temperature	: No data available
ecomposition temperature	: No data available
liscosity	: No data available
iscosity, kinematic	: No data available
liscosity, dynamic	: No data available

No additional information available.

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

3	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No dangerous reaction known under conditions	of normal use.
10.2. Chemical stability	
Stable under normal storage conditions. Flamma	able aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burr
10.3. Possibility of hazardous reactions	
No dangerous reaction known under conditions	of normal use.
10.4. Conditions to avoid	
Heat. Incompatible materials. Sources of ignition	n. Do not expose to temperatures exceeding 50 °C/ 122 °F.
10.5. Incompatible materials	
Alkali and alkaline earth metals. Powdered meta	als. Powdered metallic salts.
10.6. Hazardous decomposition products	S
May include, and are not limited to: oxides of ca	rbon, hydrofluoric acid, carbonyl fluoride.
SECTION 44. Toxicological informati	tion
SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Dust Destroyer Compressed Gas Duster	
LD50 oral rat	1500 mg/kg
LD50 dermal rabbit	No data available
LC50 inhalation rat	64000 ppm
Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Reproductive toxicity	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)	:	Based on available data, the classification criteria are not met.
Specific target organ toxicity (repeated exposure)	:	Based on available data, the classification criteria are not met.
Aspiration hazard	:	Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	:	May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system depression.
Symptoms/injuries after skin contact	:	May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause frostbite on contact with the liquid.
Symptoms/injuries after eye contact	:	May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May cause frostbite on contact with the liquid.
Symptoms/injuries after ingestion	:	Not a normal route of exposure.

SECTION 12: Ecological information Toxicity 12.1.

Ecology - general

: May cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability			
Dust Destroyer Compressed Gas Duster			
Persistence and degradability	Not established.		
12.3. Bioaccumulative potential			
Dust Destroyer Compressed Gas Duster			
Bioaccumulative potential	Not established.		
12.4. Mobility in soil			
No additional information available.			
12.5. Other adverse effects			
Effect on the global warming	: No known ecological damage caused by this product.		

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 13: Disposal consideration	bns
13.1. Waste treatment methods	
Waste disposal recommendations	This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible. Container under pressure. Do not drill or burn even after use.
Additional information	: Flammable vapors may accumulate in the container.
SECTION 14: Transport information	h
Department of Transportation (DOT)	
In accordance with DOT	
UN-No. (DOT)	: UN1030
Proper Shipping Name (DOT)	: 1,1-Difluoroethane
Fransport hazard class(es) (DOT)	: 2.1
Hazard labels (DOT)	
Packaging Exceptions	 Falcon Safety Products has been granted a DOT special permit. A copy of DOT Special Permit SP-11516 can be obtained by calling Falcon Safety Products, Inc. at 908-707-4900.
Transportation of Dangerous Goods (TDG)	
In accordance with TDG	
JN-No.(TDG)	: UN1030
Proper Shipping Name (TDG)	: 1,1-Difluoroethane
Class (TDG)	: 2.1
Hazard labels (TDG)	
Packaging Exceptions	 TDG Canada: Falcon Safety Products has been granted Equivalency Certificate SU 9211 (ren. 1) by the TCSS, TDGD to offer for transport by road, rail and marine.
Transport by sea	
UN-No. (IMDG)	: UN1030
Proper Shipping Name (IMDG)	: 1,1-DIFLUOROETHANE (REFRIGERANT GAS R 152a)
Class (IMDG)	: 2.1
Air transport	
JN-No. (IATA)	: UN1030
Proper Shipping Name (IATA)	: 1,1-Difluoroethane
Class (IATA)	: 2.1
Additional information	
Other information	: No supplementary information available.
Special transport precautions	: Do not handle until all safety precautions have been read and understood.
SECTION 15: Regulatory information	on
5.1. Federal regulations	
All components of this product are listed, or e Control Act (TSCA) inventory	excluded from listing, on the United States Environmental Protection Agency Toxic Substances
1,1-Difluoroethane (75-37-6)	
Listed on the Canadian DSL (Domestic Susta	ances List)
15.2. US State regulations	
Dust Destroyer Compressed Gas Duster	
State or local regulations	This product does not contain a chemical known to the State of California to cause cancer

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Dust Destroyer Compressed Gas Duster		
	birth defects or other reproductive harm.	
SECTION 16: Other infor	mation	
Date of issue	: 04/18/2017	
Revision date	: 04/18/2017	
Other information	: None.	
Mexico Classification:		



Blue = Health Red = Flammability Yellow = Reactivity White = Special Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.